जब तक आपको यह परीक्षण पुस्तिका खोलने को न कहा जाए तब तक न खोलें

टी.बी.सी. : AEBC-B-MTH

परीक्षण पुस्तिका अनुब्र

क्रम संख्या 1287284

परीक्षण पुस्तिका गणित



समय : हो घण्टे और तीस मिनट

पूर्णांक : 300

अ नु दे श

- परीक्षा प्राप्त्य होने के तुस्त बाद आप इस परीक्षण पुस्तिका की पड़ताल अवश्य कर लें कि इसमें कोई बिना छपा, फटा या ब्यूटा हुआ पृष्ट अथवा प्रश्नांश आदि न हो। यदि ऐसा है, तो इसे सही परीक्षण पुस्तिका से बदल लें।
- 2. कृषया ध्यान एखें कि OMR उत्तर-पत्रक में उचित स्थान पर रोल नम्बर और परीक्षण पुस्तिका अनुक्रम A, B, C या D को ध्यान में एवं बिना किसी चूक या विसंगति के भरने और कूटबद्ध करने की जिप्मेदारी उप्मीदवार की है। किसी भी प्रकार की चूक/विशंगति की स्थिति में उत्तर-पत्रक निरस्त कर दिया जाएगा।
- 3. इस परीक्षण पुस्तिका पर साथ में दिए गए कोष्ठक में आपको अपना अनुक्रमांक तिरखना है। परीक्षण पुस्तिका पर और कुछ न तिरखें।
- 4. इस परीक्षण पुस्तिका में 120 प्रश्नांश (प्रश्न) दिए गए हैं। प्रत्येक प्रश्नांश हिन्दी और अंग्रेजी दोनों में छपा है। प्रत्येक प्रश्नांश में चार प्रकृत (उत्तर) दिए गए हैं। इसमें से एक प्रत्युक्त को चुन लें, जिसे आप उत्तर-पत्रक पर अंकित करना चाहते हैं। यदि आपको ऐसा लगे कि एक से अधिक प्रत्युक्त सही हैं, तो उस प्रत्युक्त को अंकित करें जो आपको सर्वोत्तम लगे। प्रत्येक प्रश्नांश के लिए केवल एक ही प्रत्युक्त चुनना है।
- 5. आपको अपने सभी प्रत्युत्तर अलग से दिए गए उत्तर-पत्रक पर ही अंकित करने हैं। उत्तर-पत्रक में दिए गए निर्देश देखें।
- 6. सभी प्रश्नांशों के अंक समान है।
- इसमें परले कि आप परीक्षण पुस्तिका के विभिन्न प्रश्तांशों के प्रत्युक्त उक्त-पत्रक पर अंकित करना शुरू करें, आपको प्रवेश प्रमाण-पत्र के साथ प्रीपत अनुदेशों के अनुसार कुछ विकाण उक्त-पत्रक में देने हैं।
- आप अपने सभी प्रत्युक्तों को उत्तर-पत्रक में भरने के बाद तथा परीक्षा के समापन पर केवरन उत्तर-पत्रक अधीक्षक को सौंप दें। आपको अपने साथ परीक्षण पुस्तिका से जाने की अनुमति है।
- 9. कच्चे काम के लिए पत्रक, परीक्षण पुस्तिका के अन्त में संलग्न है।
- 0. गालत उत्तरों के लिए दण्ड :

वस्तुनिष्ट प्रश्न-पत्रों में उप्मीदवार द्वारा दिए गए गलन उत्तरों के लिए दण्ड दिया जाएगा।

- (i) प्रत्येक प्रश्न के शितए बार वैकल्पिक उत्तर हैं। उपमीदवार द्वारा प्रत्येक प्रश्न के लिए दिए गए एक गलत उत्तर के लिए प्रश्न हेतु निवत किए गए अंकों का एक-निवाई दण्ड के रूप में काटा जाएगा।
- (ii) वर्षि कोई उम्मीटबार एक से अधिक उत्तर देता है, तो इसे गानत उत्तर माना जाएगा, यदापि दिए गए उत्तरों में से एक उत्तर सही होता है, विर भी उस प्रमन के लिए उम्मूकानुसार ही उसी तरह का दण्ड दिया जाएगा।
- (iii) बरि उप्योदयार द्वारा कोई प्रश्न इस नहीं किया जाता है, अर्थात् उप्योदयार द्वारा उसर नहीं दिया जाता है, तो उस प्रश्न के सिए कोई रण्ड नहीं दिया जाएगा।

नव तक आपको यह परीक्षण पुस्तिका खोलने को न कहा जाए तब तक न खोलें

- 1. If the sum of binomial coefficients in the expansion of $(x+y)^n$ is 256, then the greatest binomial coefficient occurs in which one of the following terms?
 - (a) Third
 - (b) Fourth
 - (c) Fifth
 - (d) Ninth
 - 2. If $k < (\sqrt{2} + 1)^3 < k + 2$, where k is a natural number, then what is the value of k?
 - (a) 11
- 16) 13
- (c) 15
- (d) 17

3. If

$$[x \ 1 \ 1] \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix} \begin{bmatrix} 1 \\ 1 \\ x \end{bmatrix} = [45]$$

then which one of the following is a value of x?

- (a) -2
- (b) -1
- (c) 0
- ya)

4. 11

$$A = \begin{bmatrix} y & z & x \\ z & x & y \\ x & y & z \end{bmatrix}$$

where x, y, z are integers, is an orthogonal matrix, then what is the value of $x^2 + y^2 + z^2$?

- (a) 0
- (b) 1
- (c) 4
- (d) 14

- 5. Consider the following in respect of a non-singular matrix M:
 - I. $|M^2| = |M|^2$
 - II. $|M| = |M^{-1}|$
 - III. $|M| = |M^T|$

How many of the above are correct?

- (a) None
- (b) One
- JOY TWO
 - (d) All three
- 6. If

$$f(\theta) = \begin{bmatrix} \cos\theta & \sin\theta \\ -\sin\theta & \cos\theta \end{bmatrix}$$

then what is $\{f(\pi)\}^2$ equal to?

- (a) $\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$ (b) $\begin{bmatrix} 1 & 1 \\ 1 & 1 \end{bmatrix}$
- (c) $\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix}$ (d) $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$
- 7. If

$$A = \begin{bmatrix} 1 & 2 & 2 \\ 2 & 1 & 2 \\ 2 & 2 & 1 \end{bmatrix}$$

then what is $A^2 - 4A$ equal to?

- (a) $-5I_3$
- (b) -1_3
- (c) I₃
- HOT 513

where I_3 is the identity matrix of order 3

- 8. If the number of selections of r as well as (n+r) things from 5n different things are equal, then what is the value of r?
 - (a) n
 - (b) 2n
 - (c) 3n
 - (d) 4n
- What is the number of selections of at most 3 things from 6 different things?
 - (g) 20
 - (b) 22
 - (c) 41
 - (d) 42

H

$$A = \begin{bmatrix} x & y & z \\ y & z & x \\ z & x & y \end{bmatrix}$$

where x, y, z are integers, is an orthogonal matrix, then what is A^2 equal to?

- (a) Null matrix
- (b) Identity matrix
- (c) A
- (d) -A

Consider the following for the three (03) is that follow:

that $follow : tan \alpha = tan \alpha = cot \alpha - cot 2\alpha$.

Let $P = tan 2\alpha - tan \alpha = cot \alpha = cot 2\alpha$.

11. What is (p/q) equal to?

- (a) $-\tan\alpha \cdot \tan 2\alpha$
- (b) -cota ·cot2a
- (c) tana · tan 2a
- (d) cota-cot2a

12. What is (p+q) equal to?

- (a) sec 4a.
- (b) cosec4a.
- (c) 2sec4a
- (d) 2cosec4a

13. What is $tan^2 \alpha$ equal to?

- (a) (pq)/(p+q)
- (b) (p+2q)/p
- (c) p/(p+2q)
- (d) p/(2p+q)

Consider the following for the two (02) is that follow:

Let $2\sin\alpha + \cos\alpha = 2$, where $0 < \alpha < 90^\circ$.

14. What is tand equal to?

- (a) 1/2
- (b) 1
- (c) 3/4
- (d) 2


- (a) 11/10
- (b) 11/5
- (c) 12/5
- (d) 13/5

Consider the following for the two (02) items that follow:

In a triangle ABC, two sides BC and CA are in the ratio 2:1 and their opposite corresponding angles are in the ratio 3:1.

16. One of the angles of the triangle is

- (a) 15°
- (b) 30°
- (c) 45°
- (d) 75°



- 17. Consider the following statements:
 - The triangle is right-angled.
 - II. One of the sides of the triangle is 3 times the other.
 - III. The angles A, C and B of the triangle are in AP.

Which of the statements given above is/are correct?

- (a) I only
- (b) II and III only
- (c) 1 and III only
- (d) I, II and III

18. A man at M, standing 100 m away from the base (P) of a chimney of height 50 m, the pass the angle of elevation of the highest point (Q) of the smoke to be 459 The highest point of the chimney is at R purther P, R and Q are in a straight line and the straight line is perpendicular to PM. What is the angle RMQ equal to?

10 tan-1 1




- $\frac{BC}{CA} = \frac{9}{1} \quad (d) \quad \tan^{-1}\left(\frac{3}{4}\right)$

19. If k is a root of $x^2 - 4x + 1 = 0$, then what $+ 2+ y = 186^{\circ}$ is $tan^{-1}k + tan^{-1}\frac{1}{k}$ equal to?



- (c) 11/4
- (d) n/2



- **20.** If $\tan^{-1} k + \tan^{-1} \frac{1}{2} = \frac{\pi}{4}$, then what is the value of k?
 - (a) 1
 - (b) 1/2
 - (c) 1/3
 - (d) 1/4

- 21. If a line in 3 dimensions makes angles α, β and γ with the positive directions of the coordinate axes, then what is cos(α + β)cos(α - β) equal to?
 - (a) cos² y
 - (b) -cos2 Y
 - (c) $\sin^2 \gamma$
 - $(d) \sin^2 \gamma$
- 22. A(1, 2, -1), B(2, 5, -2) and C(4, 4, -3) are three vertices of a rectangle. What is the area of the rectangle?
 - (a) 8 square units
 - (b) 9 square units
 - (c) √66 square units
 - (d) √68 square units
- 23. ABC is a triangle right-angled at B. If A(k, 1, -1), B(2k, 0, 2) and C(2+2k, k, 1) are the vertices of the triangle, then what is the value of k?
 - (a) -3
- (b) -1
- (c) 1
- (d) 3
- 24. If a line

$$\frac{x+1}{p} = \frac{y-1}{q} = \frac{z-2}{r}$$

where p = 2q = 3r, makes an angle θ with the positive direction of y-axis, then what is $\cos 2\theta$ equal to?

- (a) -31/49
- (b) -37/49
- (9) 31/49
- (d) 37/49

25. What is the equation of the plane through the point (1, 1, 1) and passing to the line whose perpendicular to the line whose direction ratios are (3, 2, 1)?

$$direction (a) x + 2y + 3z = 6$$

(b)
$$3x + 2y + z = 6$$

$$(c) \quad x + y + z = 3$$

(d)
$$3x + 2y + z = 0$$

- 26. A line makes angles α , β and γ with the positive directions of the coordinate axes. If $\vec{a} = (\sin^2 \alpha)\hat{i} + (\sin^2 \beta)\hat{j} + (\sin^2 \gamma)\hat{k}$ and $\vec{b} = \hat{i} + \hat{j} + \hat{k}$, then what is $\vec{a} \cdot \vec{b}$ equal to?
 - (a) -2
 - (b) -1
 - (c) 1
 - (d) 2
- 27. Consider the following statements in respect of a vector $\vec{d} = (\vec{a} \times \vec{b}) \times \vec{c}$:
 - 1. \vec{d} is coplanar with \vec{d} and \vec{b} .
 - II. \vec{d} is perpendicular to \vec{c} .


Which of the statements given above is/are correct?

- (a) I only
- (b) II only
- (c) Both I and II
- (d) Neither 1 nor II

- 28. The position vectors of three points A, B and C are \vec{a} , \vec{b} and \vec{c} respectively such that $3\vec{a} 4\vec{b} + \vec{c} = \vec{0}$. What is AB: BC equal to?
 - (a) 3:1
 - (b) 1:3
 - (c) 3:4
 - (d) 1:4
- 29. The position vectors of three points A, B and C are \vec{a} , \vec{b} and \vec{c} respectively, where $\vec{c} = (\cos^2 \theta)\vec{a} + (\sin^2 \theta)\vec{b}$. What is $(\vec{a} \times \vec{b}) + (\vec{b} \times \vec{c}) + (\vec{c} \times \vec{a})$ equal to?
 - (a) 0
 - (b) 2c
 - (c) 3c
 - (d) Unit vector
 - 30. Let \vec{a} , \vec{b} , $(\vec{a} \times \vec{b})$ be unit vectors. What is $(\vec{a} \cdot \vec{b})$ equal to?
 - (a) 0
 - (b) 1/2
 - (c) 1
 - (d) 3

- 31. The sum of the first k terms of a series 3 is $3k^2 + 5k$. Which one of the following is correct?
 - (a) The terms of S form an arithmetic progression with common difference 14.
 - (b) The terms of S form an arithmetic common difference 6.
 - (c) The terms of S form a geometric progression with common ratio 10/7.
 - (d) The terms of S form a geometric progression with common ratio 11/4.
 - 32. The sum of the first 8 terms of a GP is five times the sum of its first 4 terms.

 If r ≠ 1 is the common ratio, then what is the number of possible real values of r?
 - (a) One
 - (b) Two
 - (c) Three
 - (d) More than three
 - **33.** If one root of the equation $x^2 kx + k = 0$ exceeds the other by $2\sqrt{3}$, then which one of the following is a value of k?
 - (a) 3
- (b) 6
- (c) 9
- (d) 12
- 34. If $x + \frac{5}{y} = 4$ and $y + \frac{5}{x} = -4$, then what is (x + y) equal to?
 - (a) 0
- (b) 1
- (c) 4
- (d) 5



(a) -3

(c) 2

a+6d=3a+1240) 0 20-6d=0 (b) 1

If p, 1, q are in AP and p, 2, q are in GP, then which of the following statements is/are correct?

- p, 4, q are in HP.
- (1/p), 1/4, (1/q) are in AP.

Select the answer using the code given below.

- (a) I only
- (b) II only
- (c) Both I and II
- (d) Neither I nor II

. If $x = (1111)_2$, $y = (1001)_2$ and $z = (110)_2$, then what is $x^3 - y^3 - z^3 - 3xyz$ equal to?

- (a) (1111001)₂
- (b) (1001111)₂
- (c) (1)2
- (d) (0)2

and A, B, C, D, G are the cofactors of the elements a, b, c, d, g respectively, then what is bB + cC - dD - gG equal to?

- (c) A
- (d) $-\Delta$

39. Consider the following statements in respect of the determinant

$$\Delta = \begin{vmatrix} k(k+2) & 2k+1 & 1\\ 2k+1 & k+2 & 1\\ 3 & 3 & 1 \end{vmatrix}$$

I. Δ is positive if k > 0.

II. Δ is negative if k < 0.

III. Δ is zero if k = 0.

How many of the statements given above are correct?

- (a) None
- (b) One
- (c) Two
- (d) All three

40. If
$$2(2-1) = (3+i)(3-1) =$$

where $i = \sqrt{-1}$, then what is A + B equal

- -6-12) -10
- (c) 0

onsider the following for the three (03) items at follow:

et $p = \sin 35^{\circ}$, $q = \sin 25^{\circ}$ and $r = \sin(-95^{\circ})$.

41. What is (p+q+r) equal to?

- (a) -1
- (b) C
- (c) 2 sin 5°
- (d) 2cos 5°

42. What is (pq+qr+rp) equal to?

- (a) -3/4
- (b) 0
- (c) 1/4
- (d) 3/4

43. What is $(p^2 + q^2 + r^2)$ equal to?

- (a) 1/2
- (b) 1
- (c) 3/2
- (d) 2

Consider the following for the two (02) items that follow:

Let $p = |\sin \alpha - \sin(\alpha - 90^\circ)|$.

44. What is the minimum value of p?

- (a) 0
- (b) 1/2
- (c) 1/√2
- (d) 1

45. What is the maximum value of p?

- (a) 1
- (b) \sqrt{2}
- (c) \sqrt{3}
- (d) 2

Consider the following for the three (03) items that follow:

The sides of a triangle ABC are AB = 3 cmBC = 5 cm and CA = 7 cm.

46. Consider the following statements:

- The triangle is obtuse-angle triangle.
- The sum of acute angles of the triangle is also acute.

Which of the statements given about is/are correct?

- (a) I only
- (b) II only
- (c) Both I and II
- (d) Neither I nor II

47. What is $\angle B$ equal to?

- (a) 60°
- (b) 105°
- (c) 120°
- (d) 150°

48. What is the area of the triangle?

- (a) $15\sqrt{3}/4$ square cm
- (b) 15√3 /2 square cm
- (c) 15√3 square cm
- (d) 30√3 square cm

nsider the following for the two (02) items t follow:

e top (M) of a tower is observed from three ints P. Q and R lying in a horizontal straight e which passes directly along the foot (N) of tower. The angles of elevations of M from P, and R are 30°, 45° and 60° respectively. Let = a and QR = b.

9. What is PN equal to?

(a)
$$\left(\frac{3-\sqrt{3}}{2}\right)a$$

(b)
$$\left(\frac{3+\sqrt{3}}{2}\right)a$$

(c)
$$\left(\frac{3-\sqrt{3}}{4}\right)a$$

(d)
$$\left(\frac{3+\sqrt{3}}{4}\right)a$$

50. What is MN equal to?

(a)
$$\left(\frac{3+\sqrt{3}}{2}\right)b$$

(b)
$$\left(\frac{3-\sqrt{3}}{2}\right)b$$

(c)
$$\left(\frac{3-\sqrt{3}}{4}\right)b$$

$$(d) \quad \left(\frac{3+\sqrt{3}}{4}\right)b$$

Consider the following for the two (02) items that follow:

The probabilities that A, B and C become managers are 3/10, 1/2 and 4/5 respectively The probabilities that bonus scheme will be introduced if A, B and C become managers are 4/9, 2/9 and 1/3 respectively.

- 51. What is the probability that the bonus scheme will be introduced?
 - (a) 17/45
- (b) 19/45
- (c) 23/45 (d) 26/45
- has been 52. If the bonus scheme introduced, then what is the probability that the manager appointed was B?
 - (a) 5/23
- (b) 6/23
- (c) 7/23
- (d) 8/23
- 53. The arithmetic mean of 100 observations is 50. If 5 is subtracted from each observation and then divided by 20, then what is the new arithmetic mean?
 - (a) 2.25
- (b) 3.5
- 4.25 (c)
- (d) 5.5
- deviation standard 54. The observations is 10. If 5 is added to each observation and then divided by 20, then what will be the new standard deviation?
 - (a) 0.25
- (b) 0.5
- 0.75 (c)
- (d) 1.00
- P(B) = 1/2P(A) = 1/3,55. If then what is $P\left(A\cap B\right)=1/4,$ value of $P(B|A^c)$?
 - 1/8 (a)
- (b) 3/8
- 5/8 (c)
- (d) 7/8

- **56.** If P(A) = 1/3, P(B) = 1/2 and $P(A \cap B) = 1/4$, then what is the value of $P(A^c \cap B^c)$?

 - (a) 1/4 (b) 5/12
 - (c) 7/12
- (d) 11/12
- 57. If two fair dice are tossed, then what is the probability that the sum of the numbers on the faces of the dice is strictly greater than 7?
 - (a) 1/3
- (b) 5/12
- (c) 7/12
- (d) 3/4
- 58. The probability of a man hitting a target is 1/5. If the man fires 7 times, then what is the probability that he hits the target at least twice?
 - (a) $1 \left(\frac{3}{5}\right) \left(\frac{4}{5}\right)^6$
 - (b) $1 \left(\frac{3}{5}\right) \left(\frac{4}{5}\right)^7$
 - (c) $1 \left(\frac{11}{5}\right) \left(\frac{4}{5}\right)^6$
 - (d) $1 \left(\frac{11}{5}\right) \left(\frac{4}{5}\right)^7$
 - 59. Let X be a random variable following binomial distribution whose mean and variance are 200 and 160 respectively. What is the value of the number of trials (n)?
 - (a) 500
- (b) 1000
- (c) 1500
- 2000 (d)
- mean of 60. What is the arithmetic 8², 9², 10², ..., 15²?
 - (a) 133·5
- (b) 135·5
- (c) 137·5
- (d) 139·5

Consider the following for the two (02) items that follow:

Let
$$y = \sin^{-1}\left(x - \frac{4x^3}{27}\right)$$
.

- 61. What is y equal to?

 - (a) $\sin^{-1} x$ (b) $\sin^{-1} \left(\frac{x}{3}\right)$

 - (c) $3\sin^{-1} x$ (d) $3\sin^{-1} \left(\frac{x}{3}\right)$
- **62.** What is $\frac{dy}{dx}$ equal to?
 - (a) $\frac{1}{\sqrt{9-x^2}}$ (b) $\frac{1}{\sqrt{3-x^2}}$
- - (c) $\frac{3}{\sqrt{9-x^2}}$ (d) $\frac{9}{\sqrt{9-x^2}}$

Consider the following for the two (02) items that follow:

Let the function $f(x) = x^2 + 9$.

- **63.** What is $\lim_{x\to 0} \frac{\sqrt{f(x)}-3}{\sqrt{f(x)}+7}$ equal to?
 - (a) 2/3
- (b) 1
- (c) 4/3
- (d) 2
- 64. Consider the following statements:
 - f(x) is an increasing function.
 - f(x) has local maximum at x = 0

Which of the statements given about is/are correct?

- (a) I only
- (b) II only
- (c) Both I and II
- (d) Neither I nor II

Consider the following for the two (02) items that follow:

The function f(x) satisfies $f\left(\frac{x}{y}\right) = \frac{f(x)}{f(y)}$ for all positive real values of x and y, and f(2) = 3.

- 65. What is f(16) equal to?
 - (a) 18
 - (b) 27
 - (c) 54
 - (d) 81
 - **66.** What is f(1) f(4) equal to?
 - (a) 4
 - (b) 8
 - (c) 9
 - (d) 18

Consider the following for the two (02) items that follow:

A function f is such that f(xy) = f(x + y) for all real values of x and y, and f(5) = 10.

- 67. What is f(0) equal to?
 - (a) 0
 - (b) 1
 - (c) 5
 - (d) 10

- **68.** What is f(20) + f(-20) equal to?
 - (a) 0
 - (b) 10
 - (c) 20
 - (d) 40

Consider the following for the two (02) items that follow:

Let $f(x) = [x^2]$, where $[\cdot]$ is the greatest integer function.

- **69.** What is $\int_{\sqrt{2}}^{\sqrt{3}} f(x) dx$ equal to?
 - (a) $\sqrt{3} \sqrt{2}$
 - $(b)/2(\sqrt{3}-\sqrt{2})$
 - (c) 3 √2
 - (d) 1
 - **70.** What is $\int_{\sqrt{2}}^{2} f(x) dx$ equal to?

$$(a) 6 - \sqrt{3} - 2\sqrt{2}$$

- (b) $6-\sqrt{3}-\sqrt{2}$
- (c) $6-\sqrt{3}+2\sqrt{2}$
- (d) $6+\sqrt{3}-2\sqrt{2}$

71. If $A^2 + B^2 + C^2 = 0$, then what is the value of the following?

- (c) 1
- (d) 2
- 72. If wis a non-real cube root of unity, then what is a root of the following equation?

$$\begin{vmatrix} x+1 & \omega & \omega^2 \\ \omega & x+\omega^2 & 1 \\ \omega^2 & 1 & x+\omega \end{vmatrix} = 0$$

- (a) x = 0

- (d) $x = \omega^2$
- 73. What is $\left(\frac{\sqrt{3}+i}{\sqrt{3}-i}\right)^3$ equal to?
- (c) 1
- 74. If $x^2 x + 1 = 0$, then what is

$$\left(x - \frac{1}{x}\right)^2 + \left(x - \frac{1}{x}\right)^4 + \left(x - \frac{1}{x}\right)^8$$

equal to?

- (a) 81
- (b) 85
- 87 (c)
- (d)

- 75. How many 7-letter words (with or without meaning) can be constructed using all the letters of the word CAPITAL so that all consonants come together in each word?
 - (a) 360
- (b) 300
- 288
- (d) 240
- 76. If $z \neq 0$ is a complex number, then what is $amp(z) + amp(\overline{z})$ equal to?
- (b) \pi/2
- (c) T
- (d) 2n
- 77. How many sides are there in a polygon which has 20 diagonals?

- 78. In how many ways can the letters of the word DELHI be arranged keeping the positions of vowels and consonants unchanged?
 - (a) 6
- (b) 9
- (c) 12
- (d) 24
- 79. What is the number of positive integral, solutions of x + y + z = 5?
 - (a) 3
- (b) 5
- (c) 6
- (d) 9
- 80. What is the number of rational terms the expansion of $(3^{\frac{1}{2}} + 5^{\frac{1}{4}})^{12}$?
 - (a) 2
- (b) 3
- (c)
- (d) 6

[P.T.0

- 81. Under what condition will the lines $m^2x + ny 1 = 0$ and $n^2x my + 2 = 0$ be perpendicular?
 - (a) mn 1 = 0
 - (b) mn + 1 = 0
 - (c) m+n=0
 - (d) m-n=0
 - 82. If p and q are real numbers between 0 and 1 such that the points (p, 1), (1, q) and (0, 0) form an equilateral triangle, then what is (p+q) equal to?
 - (a) \sqrt{2}
 - (b) $\sqrt{2}-1$
 - (c) 2-\sqrt{3}
 - (d) $4 2\sqrt{3}$
 - 83. The vertices of a triangle are A(1, 1), B(0, 0) and C(2, 0). The angular bisectors of the triangle meet at P. What are the coordinates of P?
 - (a) $(1, \sqrt{2} 1)$
 - (b) $(1, \sqrt{3}-1)$
 - (c) (1, 1/2)
 - (d) $(1/2, \sqrt{2}-1)$

- 84. Let A(3, -1) and B(1, 1) be the end points of line segment AB. Let P be the middle point of the line segment AB. Let Q be the point situated at a distance √2 units from P on the perpendicular bisector line of AB. What are the possible coordinates of Q?
 - (a) (2, 1)
 - (b) (3, 1)
 - (c) (2, 2)
 - (d) (1, 3)
 - 85. ABC is an equilateral triangle and AD is the altitude on BC. If the coordinates of A are (1, 2) and that of D are (-2, 6) then what is the equation of BC?
 - (a) 3x + 4y 18 = 0
 - (b) 4x + 3y 1 = 0
 - (c) 4x-3y+26=0
 - (d) 3x-4y+30=0
 - 86. What is the equation of the circle who diameter is 10 cm and the equations two of its diameters are x + y = 0: x y = 0?
 - (a) $x^2 + y^2 = 1$
 - (b) $x^2 + y^2 = 25$
 - (c) $x^2 + y^2 = 100$
 - (d) $x^2 + y^2 2x 2y 23 = 0$

- 87. A square is inscribed in a circle $x^2 + y^2 + 2x + 2y + 1 = 0$ and its sides are parallel to coordinate axes. Which one of the following is a vertex of the square?
 - (a) (-2, 2)
 - (b) (-2, -2)
 - (c) $\left(-1+\frac{1}{\sqrt{2}}, -1-\frac{1}{\sqrt{2}}\right)$
 - (d) None of the above
 - 88. A tangent to the parabola $y^2 = 4x$ is inclined at an angle 45° with the positive direction of x-axis. What is the point of contact of the tangent and the parabola?
 - (a) (1, 1)
 - (b) (2, 2\sqrt{2})
 - (c) $\left(\frac{1}{2}, \frac{1}{\sqrt{2}}\right)$
 - (d) (1, 2)
 - 89. What is the distance between the two foci of the hyperbola $25x^2 - 75y^2 = 225$?
 - (a) $2\sqrt{3}$ units
 - (b) 4√3 units
 - (c) √6 units
 - (d) 2√6 units
 - an ellipse then what is 90. If any point the (3sina, 5cosa), eccentricity of the ellipse?
 - (a) 4/3
- (b) 4/5
- (c) 3/4
- (d) 1/2

Consider the following for the four (04) items that follow:

The frequency distribution of height of students of a class is given below:

Height (in cm)	Number of Students
160-162	12
162-164	15
164–166	24
166-168	13

- 91. What is the total number of students whose height is less than or equal to 165 cm?
 - (a) 15
 - (b) 39
 - (c) 51
 - (d) None of the above
 - 92. What is the median height of the class?
 - (a) 162.41 cm
 - (b) 163.41 cm
 - (c) 164-41 cm
 - (d) 165-41 cm
 - 93. The height which occurs most frequently in the class is
 - (a) 163.5 cm
 - (b) 163.9 cm
 - (c) 164.5 cm
 - (d) 164-9 cm

The most appropriate graphical representation of the given frequency distribution is

(e) her cherr

(b) percentage bar chart

hiengram

(d) pic chart

consider the following for the two (02) items that follow :

The sum and the sum of squares of the observations corresponding to length X (in cm) and weight Y (in gm) of 50 tropical tubers are given as $\Sigma X = 200$, $\Sigma Y = 250$, $\Sigma X^2 = 900$ and $\Sigma Y^2 = 1400.$

- 95. Which one of the following is correct?
 - Variance (X) > Variance (Y) (a)
 - Variance (X) < Variance (Y) (b)
 - Variance (X) = Variance (Y)
 - (d) Cannot be determined from the given data
 - 96. Which one of the following statements is correct?
 - (a) Coefficient of variation of X is strictly more than coefficient of variation of Y.
 - (b) Coefficient of variation of X is strictly less than coefficient of variation of Y.
 - Coefficient of variation of X is same as coefficient of variation of Y.
 - Coefficient of variation cannot be determined from the given data.

Consider the following for the two (02) items that follow :

Let X be a random variable following binomial distribution with parameters n = 6 and p = k. Further, 9P(X = 4) = P(X = 2).

- 97. What is the value of k?
 - (a) 1/2
- (b) 1/3
- (c) 1/4
- (d) 1/5
- 98. What is the value of P(X = 3)?
 - (a) 135/1024
 - (b) 5/128
 - (c) 45/1024
 - (d) 70/1024

Consider the following for the two (02) items that follow:

A committee of 6 members is formed from a group of 7 gentlemen and 4 ladies.

- that probability exactly the includes 99. What committee the 3 gentlemen?
 - (a) 10/33
- (b) 30/77
- 100/231 (c)
- (d) 5/11
- 100. What is the probability that committee includes at least 2 ladies (b) 47/66
 - (a) 41/66
- (c) 49/66
- (d) 53/86

Consider the following for the two (02) items

Let the function $y = (1 - \cos x)^{-1}$, where $x \neq 2n\pi$ and n is an integer.

101. What is the range of the function?

(a) $[0, \infty)$

चार

कल

बार

- (b) [0·5, ∞)
- (c) [1, ∞)
- (d) (-∞, 0.5]

102. What is $\int y dx$ equal to?

- (a) $-\tan(x/2)+c$
- (b) $-\cot(x/2)+c$
- (c) $\tan(x/2) + c$
- (d) $\cot(x/2)+c$

where c is the constant of integration.

Consider the following for the two (02) items that follow:

Let the function $f(x) = \sin[x]$, where $[\cdot]$ is the greatest integer function and g(x) = |x|

103. What is $\lim_{x\to 0} \{f(x)g(x)\}\$ equal to?

- (a) -1
- (b) 0
- (c) 1
- (d) Limit does not exist

104. What is $\lim_{x\to 0} \frac{f(x)}{g(x)}$ equal to?

- $(a) \sin 1$
- (b) sin 1
- (c) 0
- (d) Limit does not exist

Consider the following for the two (02) ithat follow:

Let the curve f(x) = |x-3|.

105. What is the domain of the function f

- (a) $(0, \infty)$
- (b) (3, ∞)
- (c) (-∞, ∞)
- (d) $(-\infty, \infty) \setminus \{3\}$

106. What is the area bounded by the configuration f(x) and y = 3?

- (a) 3 square units
- (b) 4.5 square units
- (c) 7.5 square units
- (d) 9 square units

Consider the following for the two (02) is that follow:

Let $f = \{(1, 1), (2, 4), (3, 7), (4, 10)\}.$

107. If f(x) = px + q, then what is the of (p+q)?

- (a) -1
- (b) 0
- (c) 1
- (d) 5

- 108. Consider the following statements:
 - f is one-one function.
 - II. f is onto function if the codomain is the set of natural numbers.

Which of the statements given above is/are correct?

- (a) I only
- (b) II only
- Both I and II
- (d) Neither I nor II

Consider the following for the two (02) items that follow:

Let the function $f(x) = x^2 - 1$.

- 109. What is $\lim_{x\to 1} \{f \circ f(x)\}\$ equal to?
 - (a) -1
 - (b) 0

 - (d) 2
- 110. What is the area bounded by the function f(x) and the x-axis?
 - (a) 1/3 square unit
 - (b) 2/3 square unit
 - (c) 4/3 square units
 - (d) 2 square units

Consider the following for the two (02) items that follow:

Let $x = \sec \theta - \cos \theta$ and $y = \sec^4 \theta - \cos^4 \theta$.

- 111. What is $\left(\frac{dy}{dx}\right)^2$ equal to?
 - (a) $\frac{4(y^2+4)}{(x^2+4)}$ (b) $\frac{4(y^2-4)}{(x^2-4)}$
 - (c) $\frac{16(y^2+4)}{(x^2+4)}$ (d) $\frac{16(y^2-4)}{(x^2-4)}$
- 112. What is $\left(\frac{x^2+4}{y^2+4}\right) \frac{dy}{dx} \left(x^2+4\right) \frac{d^2y}{dx^2} 16y$ equal to?
 - (a) 16x
- (b) 16y
- (c) -16x
- (d) -16u

Consider the following for the two (02) items that follow:

Let ABC be a triangle right-angled at B and AB + AC = 3 units.

- 113. What is \(A \) equal to if the area of the triangle is maximum?

 - (a) $\pi/6$ (b) $\pi/4$
 - (c) \pi/3
- (d) 5π/12
- 114. What is the maximum area of the triangle?
 - (a) $\sqrt{3}/2$ square unit
 - (b) √3 square units
 - (c) √6/2 square units
 - (d) √6 square units

nsider the following for the two (02) items

t $(x + y)^{p+q} = x^p y^q$, where p, q are positive tegers.

- 15. The derivative of y with respect to x
 - (a) depends on p only
 - (b) depends on q only
 - (c) depends on both p and q
 - (d) is independent of both p and q
- 16. If p+q=10, then what is $\frac{dy}{dx}$ equal to?
 - (a) $\frac{y}{x}$
 - (b) xy
 - (c) $x^{10}y^{10}$
 - (d) $\left(\frac{y}{x}\right)^{10}$

Consider the following for the two (02) items hat follow:

The slope of the tangent to the curve y = f(x) at (x, f(x)) is 4 for every real number x and the curve passes through the origin.

- 117. What is the nature of the curve?
 - (a) A straight line passing through (1, 4)
 - (b) A straight line passing through (-1, 4)
 - (c) A parabola with vertex at origin and focus at (2, 0)
 - (d) A parabola with vertex at origin and focus at (1, 0)

- 118. What is the area bounded by the curve, the x-axis and the line x=4?
 - (a) 8 square units
 - (b) 16 square units
 - (c) 32 square units
 - (d) 64 square units

Consider the following for the two (02) items that follow:

Let
$$f(x) = \begin{cases} x^3, & x^2 < 1 \\ x^2, & x^2 \ge 1 \end{cases}$$

- 119. What is $\lim_{x\to 0} f'(x)$ equal to?
 - (a) 2
 - (b) 1
 - (c) 0
 - (d) Limit does not exist
- 120. Consider the following statements:
 - I. The function is continuous at x = -1.
 - II. The function is differentiable at x = 1.

Which of the statements given above is/are correct?

- (a) I only
- (b) II only
- (c) Both I and II
- (d) Neither I nor II

[P.T.O.